



Learning Object-Oriented Programming and Design with TDD

A different way to model the world


Stéphane Ducasse

<http://stephane.ducasse.free.fr>



<http://www.pharo.org>

W3S04



Model of a the World

- There is not one single model of the world
- There are multiple ways to capture a model of the world
 - Data driven (often used with relational database)
 - Object-Oriented Design
 - Procedural modeling
 - Reactive programming
- A program models the world



Object-Orientation

- Is a paradigm, not a technology
- Reflects, simulates the real world
- Organized in terms of decentralized organizations
- Tries to
 - handle complexity
 - enhance reusability
 - minimize maintenance cost

Comparing

- Procedural
- Object-Oriented Design



Structured/Procedural Programming Point of View

- Focuses upon structures and procedures
- Data is shared between procedures
- Data accessible from procedures (and client procedures too)
- Procedures know about the structure of data



Structured/Procedural Programming Point of View

- No late binding (can be simulated with pointer tables)
- Requires large number of procedures and procedure names
- Single namespace for procedures
- No decoupling between messages and methods: just procedures accessing data



Let us Compare

Problem: compute the total area of a set of geometric shapes

```
myPicture := Picture new.  
myPicture add: (Square x: 3 y: 3 width: 3).  
myPicture add: (Rectangle x: 5 y: with:5 height: 3)  
myPicture add: (Circle x: 12 y: 3 radius: 3).  
  
myPicture area
```

Procedural Way: Centralized Way (in Java)

```
double pictureArea() {  
    double total = 0;  
    for (Shape shape : shapes) {  
        switch (shape.kind()) {  
            case SQUARE:  
                Square square = (Square) shape;  
                total += square.width * square.width; break;  
            case RECTANGLE:  
                Rectangle rectangle = (Rectangle) shape;  
                total += rectangle.width * rectangle.height; break;  
            case CIRCLE:  
                Circle circle = (Circle) shape;  
                total += java.lang.Math.PI * circle.radius * circle.radius / 2; break;  
        }  
    }  
    return total; }  
}
```



Procedural Way: a Centralized Way (in Pharo)

```
pictureArea
| total |
total := 0.
self shapes do [ :aShape |
  aShape kind == #SQUARE
    ifTrue: [ total := total + aShape width * aShape width ]
    ifFalse: [
      aShape kind == #RECTANGLE
        ifTrue: [
          total := aShape width * aShape height ]
        ifFalse: [
          total := total + (Float pi * shape radius squared / 2) ]
    ]
  ]
^ total
```

Procedural Way: Drawbacks

- All the logic is defined in a single place
 - monolithic
- No reuse of the main function pictureArea
- What if we want to add a new shape?
 - need to recompile the area procedure
 - need to check for the new shape



The OO Way: Delegate to Other Entities

```
Picture >> area  
  | total |  
  total := 0.  
  self shapes do [ :aShape |  
    total := total + aShape area ].  
  ^ total
```

```
Square >> area  
  ^ self side squared
```

```
Rectangle >> area  
  ^ self width * self height
```

```
Circle >> area  
  ^ (Float pi * self radius squared / 2)
```

OOP Advantages

- Adding a new shape
 - add a class with the area message
 - create objects of this class
- Reuse of the Picture >> area
 - we do not have to modify it each time a shape is added/removed
- Reuse of the definition of the shapes
- Decentralised view of computation
- Each shape class represents its data/logic internally



There is a catch

To be able to reuse the code in `Picture >> area` and add new shapes

- It is important that all the shapes can answer to the message `area`
- Polymorphism: different objects answering the same messages with different execution



Thinking about names

Naming Picture >> area the same way than Shape methods (area)

- support that picture can be used as a shape
- Composite design pattern
- Possibility to rethink/refactor change area logic independently from clients



Stepping back: What is OOP?

- An application is a collection of interacting entities (objects).
- Objects are characterized by **behavior** and **state**.
- Objects are described by **methods**, **data** are stored in **private** variables.
- Objects communicate by exchanging messages.
- Objects expose polymorphic interface to be able to be substituted for other objects.
- Message passing late binds the selection of the method to be executed in response to messages.
- Ideally everything is an object



OOP Cornerstones: Encapsulation/Composition

Encapsulation

- Hide and control the internal representation of an object. This will ease further evolution
- Clients do not access object internals

Composition

- An object can be composed of several simpler other objects



OOP Cornerstones: Distribution of responsibility

Distribution of responsibility and delegation

- Computing a problem is the results of many objects performing (sub) tasks.

Late binding and message passing

- The receiver of a message determines which method will be executed on it.
 - What to perform? the message
 - How to perform? the method

Polymorphism

- Objects exhibiting the same interface can be substituted
- Class hierarchy defines families of **polymorphic** (kind of substitutable) objects



OOP Cornerstones: Reuse via abstraction extension

Inheritance structures abstractions as conceptual hierarchies

- OrderedCollection **is a kind of** Collection
- Array **is a kind of** Collection

Inheritance supports reuse and extensions in subclasses



What you should know

- OOP describes programs as collaborating entities
- Objects encapsulate data and expose API of behavior
- Late binding selects the method to be executed in reaction to a message
- Classes reuse (extend, modify their superclass behavior)
- Good design promote polymorphism



A course by Stéphane Ducasse
<http://stephane.ducasse.free.fr>

Reusing some parts of the Pharo Mocc by

Damien Cassou, Stéphane Ducasse, Luc Fabresse
<http://mocc.pharo.org>



Except where otherwise noted, this work is licensed under CC BY-NC-ND 3.0 France
<https://creativecommons.org/licenses/by-nc-nd/3.0/fr/>